CLINICA CHIMICA ACTA
Vol. 37 (1972)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 37 (1972)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief: C. P. Stewart, Edinburgh
Associate Editor: S. C. Frazer, Aberdeen

Regional Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Birmingham
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1972 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol. 37 (1972)

AUTHOR INDEX

ACALOVSCHI, I. see TOADER, C. 189
AHRENS, I. see PETERS, J. E. 213
ALBANO, O. see FRANCAVILLA, A. 298
AMERIO, A. see FRANCAVILLA, A. 298
AMIC, J. see DOMINGI, N. 399
ANAGNOSTAKIS, D. see LARDINOIS, R. . . 81
ANGELOPOULOS, B. see SEITANIDIS, B. . . 531
ARTURSON, G., GRANATH, K.
(Dextrans as test molecules in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography) 309
BABJUK, J. S. see CHROMY, V. 547
BAERLOCHER, K. see CURTIUS, H. C. . . . 277
BARBOSA, J., DOE, R. P., SEAL, U. S.
(Separation of α_1-antitrypsin and orosomucoid by polyacrylamide gel electrophoresis) 105
BARTELS, H., BÖHMER, M., HEIERLI, C.
(Serum Kreatininbestimmung ohne Enteiweissen) 193
BEAVEN, M. A., JACOBSEN, S. HORÁKOVÁ, Z.
(Modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine in tissues, serum and urine) 91
BELFIELD, A.
(Serum alkalinephosphatase and 5′-nucleotidase activities in patients with heptobiliary disease) 525
BERENDS, G. T. see HAESEN, J. P. 463
BERKÖ, GY., DURKÖ, I.
(A new possiblity for the demonstration of δ-amino-laevulinic acid in urine on the basis of Mauzerall-Granick method) 443
BÖHMER, M. see BARTELS, H. 193
BOUCHER, E. A. see HORNING, M. G. . . . 381
BOZHKOV, B. see GENOV, D. 207
BREEBAART, K., HAAN, A. M. F. H. WADMAN, S. K.
(Densitometric determination of catechol-metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose) . . 157
BRUNNGRABER, E. G. see HABERLAND, C. 387
BURCHARDT, U. see PETERS, J. E. 213
BURG, P. V. D. see VOOGD, C. E. 533
CATT, K. J. see DUFAU, M. L. 109
CEDERBLAD, G., LINDSTEDT, S.
(A method for the determination of carnitine in the picomole range) 235
CHAM, B.E.
(A semiautomated method for the estimation of ionic calcium activity and concentration in biological solutions) . . 5
CHANDRASEKARAN, A., GLOVER, R. J., LORD, P. S.
(A spectrophotometric micromethod for the enzymatic determination of beta-hydroxybutyrate) 371
CHRISTOPHE, J. see VANDERMEERS, A. . . 471
CHROMY, V., BABJUK, J. S.
(Determination of barbiturates in biological fluids) 547
CONRAD, M. E. see WILLIAMS, H. L. . . . 131
CORATELLI, P. see FRANCAVILLA, A. . . . 298
CURTIUS, H. C., VÖLLMIN, J. A., BAERLOCHER, K.
(The use of deuterated phenylalanine for the elucidation of the phenylalanine-tyrosine metabolism) 277
CURZON, G., KANTAMANENI, B. D., TRIGWELL, J.
(A method for the determination of dopa and 3-O-methyldopa in the plasma of Parkinsonian patients) 335
DACREMONT, G.
(Ganglioside concentration in human plasma) 449
DARCY, D. A.
(An improved Ouchterlony plate) . . . 287
DELPECH, B., LICHTBLAU, E.
(Etude quantitative des immunoglobulines G et de l'albumine du liquide cephalo rachidien) 15
DELISLE, M. see LARDINOIS, R. 81
DEL ROSARIO SPETALE, M., see RODRIQUEZ GARAY, E. A. 171
DEMPSEY, W. B. see GAYNOR, R. 411
DI GIORGIO, J. see PILEGGI, V. J. 141
DOE, R. P. see BARBOSA, J. 105
DOMINGO, N., AMIC, J., HAUTON, J.
(Dosage automatique des sels biliaires conjugues de la bile par la 3α-hydroxystéroide déshydrogenase) 399
DRAFFAN, G. H. see GOMPERTZ, D. 405

DUFAU, M. L., CATT, K. J., TSUHRUHARA, T., RYAN, D.
(Radioimmunoassay of plasma testosterone) 109
DURKÖ, I. see BERKÖ, GY. 443
EBERT, W. see WEICKER, H. 59
ELLIS, G., GOLDBERG, D. M.
(Assay of human serum and liver guanase activity with 8-azaguanine as substrate) 47
EMERY, A. E. H., FARQUHAR, J. W., TIMSON, J.
(Amniotic fluid amino acids in maternal phenylketonuria) 544
EVANS, J. R.
(A solid sampler with single sample leading for gas chromatography) . . . 289
EVERARD, D. W. see MCPHERSON, I. G. . . 117
FALKENBERG, F. see MONDORF, A. W. . . 25
FARQUHAR, J. W. see EMERY, A. E. H. . . 544
FIORELLO, G., PIOLANTI, P., FORTI, G., SERIO, M.
(Determination of plasma corticosteroids and urinary cortisol by a competitive protein-binding method using dextran-coated charcoal) 179
FLATTER, B. see LORENTZ, K. 515
FORD, D. L. see OMACHI, A. 351
FORTI, G. see FIORELLI, G. 179
FRANCAVILLA, A., ALBANO, O., MASTRANGELO, F., CORATELLI, P., PALASCIANO, G., AMERIO, A.
(Erythrocyte membrane ATPase in patients with acute or chronic renal disease) 298
FRICK, A. see IMLER, M. 245
FUKALA, E. see PETERS, J. E. 213
GASBARRO, L.
(Simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol by thin layer chromatography and densitometry) 271
GAYNOR, R., DEMPSEY, W. B.
(Vitamin B_6 enzymes in normal and preeclamptic human placentae) 411
GENOV, D., BOZHKOV, B., ZLATKOV, N. B.
(Copper pathochemistry in vitiligo) . . 207
GIPS, C. H., QUE, G. S.
(Glucose and ammonia relationships) . . 295
GLOVER, R. J. see CHANDRASEKARAN, A. . 371
GOLDBERG, D. M. see ELLIS, G. 47
GOMPERTZ, D., DRAFFAN, G. H.
(The identification of tiglylglycine in the urine of a child with β-methylcrotonylglycinuria) 405
GRANATH, K. see ARTURSON, G. 309
GRIFFITHS, J. see LEUNG, F. Y. 423
GUIDI, G. see LIPPI, U. 199
HAAN, A. M. F. H. see BREEBAART, K. . . 157
HABERLAND, C. see WITTING, L. A. . . . 387
HAESEN, J. P., BERENDS, G. T., ZONDAG, H. A.
(An automated method for the determination of serum γ-glutamyltranspeptidase) 463
HARDEMAN, M. R., DEN UYL, A., PRINS, H. K.
(A semi-mechanized method for the fluorometric determination of 5-hydroxytryptamine (serotonin) in blood plasma and platelets) 71
HASCHEN, R. J. see PETERS, J. E. 213
HAUTON, J. see DOMINGO, N. 399
HAYASHI, K. see WATANABE, M. 417
HEIRLI, C. see BARTELS, H. 193
HILL, A., HOAG, G. N., ZALESKI, W. A.
(The investigation of aromatic acids in phenylketonuria, alkaptonuria and tyrosinosis using gas-liquid chromatography) 455
HILL, F. W. G., see KIDDER, D. E. 491
HOAG, G. N. see HILL, A. 455
HORÁKOVÁ, Z. see BEAVEN, M. A. 91
HORN, D. B.
(Standardization of mechanised serum alkaline phosphatase determinations) . 43
HORNING, E. C. see HORNING, M. G. . . . 381
HORNING, M. G., BOUCHER, E. A., STAFFORD, M., HORNING, E. C.
(A rapid procedure for the isolation of drugs and drug metabolites from plasma) 381
HÜNTELER, J. L. A., VAN DER SLIK, W., PERSIJN, J. P.
(An automated determination of serum iron latent iron-binding capacity by continuous flow analysis without dialysis) 391
HUTTUNEN, J. K. see MAURY, P. 433
IMLER, M., FRICK, A., STAHL, A., PETER, B., STAHL, J.
(Dosage de l'ammoniemie en discontinu et en continu par une technique de dialyse automatique) 245
JACOBSEN, S. see BEAVEN, M. A. 91
KANTAMANENI, B. D. see CURZON, G. . . 335
KAWAMOTO, H. see USUI, T. 151
KIDDER, D. E., HILL, F. W. G., STEVENS, J. A.
(Automatic measurement of some mucosal carbohydrases) 491
KINNE, R. see MONDORF, A. W. 25
KOJIMA, H., see YAMAMOTO, K. 165
KREMENTZ, E. T. see MORGAN, L. R. . . . 292
KREUTZER, E. K. J.
(Determination of hormonal iodine) . . 519
KROPP, J. see WEICKER, H. 59
LARDINOIS, R., ANAGNOSTAKIS, D., ORTIZ, M. A., DELISLE, M.
(Human α-foetoglobulin during the last trimester of gestation) 81
LEUNG, F. Y., GRIFFITHS, J.
(A chromatographic method for aldosterone determination in human urine) . 423
LICHTBLAU, E. see DELPECH, B. 15
LINDSTEDT, S. see CEDERBLAD, G. 235
LIPPI, U., STEVANATO, G., GUIDI, G.
(A rapid photometric method for serum lipase determination) 199
LORD, P. S. see CHANDRASEKARAN, A. . . 371
LORENTZ, K., FLATTER, B.

(Determination of carboxypeptidase B in duodenal contents) 515
MADDUX, B. see MORGAN, L. R. 292
MAEDA, K. see MIWA, I. 538
MAMPEL, E. see PETERS, J. E. 213
MASTRANGELO, F. see FRANCAVILLA, A. . . 298
MATSUDA, I. see YAMAMOTO, K. 165
MAURY, P., HUTTUNEN, J. K.
(Effects of age, fasting and surgery on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine) 433
McDONALD, D. see SALKIE, M. L. 323
McPHERSON, I. G., EVERARD, D. W.
(Serum albumin estimation: modification of the bromcresol green method) 117
MEIJER, D. K. F. see THÜRKOW, I. 509
METZ, J. see WEICKER, K. 59
MICHELIN, M. J. see TOSELAND, P. A. . . . 477
MIHAS, A. see SEITANIDIS, B. 531
MIWA, I., OKUDA, J., MAEDA, K., OKUDA, G.
(Mutarotase effect on colorimetric determination of blood glucose with β-D-glucose oxidase) 538
MOINUDDIN, M., WITTER, R. F., QUIST, K. D.
(Bovine blood serum as a substitute for human serum for quality control of the determination of cholesterol and triglyceride) 123
MONDORF, A. W., KINNE, R., SCHERBERICH, J. E., FALKENBERG, F.
(Isolierung, enzymatische und immunologische Charakterisierung einer Plasmamembranfraktion vom proximalen Tubulus der mensliche Niere) 25
MORGAN, D. B. see ROBERTSON, W. G. . . 503
MORGAN, L. R., MADDUX, B., SAMUELS, M. S., KREMENTZ, E. T.
(Arylsulphatase and its relation to homovanillic acid in neuroblastomas) . 292
MORISOLI, L. S. see RODRIQUES GARAY, E. A. 171
MUENTER, M. D. see SHARPLESS, N. S. . . 359
OHGIMI, Y. see YAMAMOTO, K. 165
OKUDA, G. see MIWA, I. 538
OMACHI, A., SCOTT, C. B., FORD, D. L.
(Pyridine nucleotide metabolism in stored human erythrocytes) 351
ORTIZ, M. A. see LARDINOIS, R. 81
OWEN, C. A. see SHARPLESS, N. S. 359
PALASCIANO, G. see FRANCAVILLA, A. . . 298
PERSIJN, J. P. see VAN DER SLIK, W. . . . 391
PETER, B. see IMLER, M. 245
PETERS, J. E., MAMPEL, E., SCHNEIDER, I., BURCHARDT, U., FUKALA, E., AHRENS, I., HASCHEN, R. J.
(Alaninaminopeptidase (L-Alanyl-peptidhydrolase) in Harn bei Nierenerkrankungen) 213
PICARD, J., VEISSIERE, D., VOYER, F.
(Identification de l'apolipoprotéines sériques anormales de la cholostase) . . 483
PILEGGI, V. J., DI GIORGIO, J., WYBENGA, D. R.
(A one-tube serum uric acid method using phototungstic acid as protein precipitant and color reagent) 141
PIOLANTI, P. see FIORELLI, G. 179
PRICE, S. A. see TOSELAND, P. A. 477
PUTMAN, J. M.
(A routine method for determining plasma ionised calcium and its application to the study of congenital heart disease in children) 33
QUE, G. S. see GIPS, C. H. 295
QUIST, K. D. see MOINUDDIN, M. . . . 123
RICHARDSON, R. W., SETCHELL, K. D. R., WOODMAN, D. D.
(Estimation of the 'normal range' for serum cholesterol by different methods) 305
RITTHALER, F., see WEICKER, H. 59
ROBERTSON, W. G., MORGAN, D. B.
(The distribution of urinary calcium excretions in normal persons and stone-formers) 503
RODRIQUEZ GARAY, E. A., DEL ROSARIO SPETALE, M., MORISOLI, L. S.
(Relationship between bilirubin and β-glucuronidase activity in rats with experimental obstructive jaundice) . . . 171
ROSE, G. A.
(A simple and rapid method for the measurement of plasma ultrafiltrable and ionized calcium) 343
RYAN, D. see DUFAU, M. L. 109
SALKIE, M. L.
(The nature of the serum activity degrading glycosaminoglycans) 329
SALKIE, M. L., McDONALD, D. . . . . .
(The variation of serum glycosaminoglycuronoglycandegrading activity with disease) 323
SAMUELS, M. S. see MORGAN, L. R. . . . 292
SCHARPÉ, S.
(Determination of α-amylase activity in biological fluids) 301
SCHERBERICH, J. E. see MONDORF, A. W. . 25
SCHNEIDER, I. see PETERS, J. E. 213
SCHULMAN, J. D., SCHNEIDER, J. E., BRADLEY, K. H., SEEGMILLER, J. E.
(Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts in vitro, and in cultured normal amniotic fluid cells) 53
SCOTT, C. B. see OMACHI, A. 351
SEAL, U. S. see BARBOSA, J. 105
SEITANIDIS, B., MIHAS, A., ANGELOPOULOS, B.
(Serum immunoglobulin levels in white patients with sickle cell disease) 531
SERIO, M. see FIORELLI, G. 179
SETCHELL, K. D. R. see RICHARDSON, R. W. 305
SHARPLESS, N. S., MUENTER, M. D., TYCE, G. M., OWEN, C. A. JR
(3-Methoxy-4-hydroxyphenylalanine (3-*O*-methyldopa) in plasma during oral L-dopa therapy of patients with Parkinsons' disease) 359

STAFFORD, M. see HORNING, M. G. 381
STAHL, A. see IMLER, M. 245
STAHL, J. see IMLER, M. 245
STEVANATO, G. see LIPPI, U. 199
STEVENS, J. A. see KIDDER, D. E. . . . 491
STEVENS, J., THOMAS, F.
(Alkaline phosphatase: reaction rate analysis at 340 nm) 541
STOTT, A. W.
(A simple scanning method for the quantitative estimation of serum lecithin) 535
SZANTAY, I. see TOADER, C. 189
TANIGUCHI, N.
(Age differences in the pattern of urinary glycosaminoglycan excretion in normal individuals) 225
THOMAS, E. see STEVENS, J. 541
THÜRKOW, I., WESSELING, H., MEIJER, D. K. F.
(Estimation of phenytoin in body fluids in the presence of sulphonyl urea compounds) 509
TIMSON, J. see EMERY, A. E. H. 544
TOADER, C., ACALOVSCHI, I., SZANTAY, I.
(Protein metabolism following surgical stress. Pre- and postoperative (^{75}Se) methionine incorporation in serum and albumin) 189
TOSELAND, P. A., MICHELIN, M. J., PRICE, S. A.
(The determination of 3-hydroxyanthranilic acid in human urine by thin layer electrophoresis and fluorometry) . . . 477
TRIGWELL, J. see CURZON, G. 335
TYCE, G. see Muenter, M. D. 359
USUI, T., KAWAMOTO, H.
(A new method for estimation of corticosteroidbinding globulin with hydrophobic resin) 151
VANDERMEERS, A., VANDERMEERS-PIRET, M. C., CHRISTOPHE, J.
(A general method for automated kinetic measurements of enzymatic activities) 471
VANDERMEERS-PIRET, M. C. see VANDERMEERS, A. 471
VAN DER SLIK, W. see HÜNTELER, J. L. A. 391
VEISSIERE, D. see PICARD, J. 483
VÖLLMIN, J. A. see CURTIUS, H. G. 277
VOOGD, C. E., BURG, P. V.D.
(Serum vitamin-B_{12} levels and chlorpromazine) 533
VOYER, F. see PICARD, J. 483
WADMAN, S. K. see BREEBAART, K. . . . 157
WATANABE, M., HAYASHI, K.
(A fluorometric method for 3-hydroxyanthranilic acid in human urine) 417
WEICKER, H., KROPP, J., METZ, J., RITTHALER, F., EBERT, W.
(Isolation of a membrane protein with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test) 59
WESSELING, H. see THÜRKOW, I. 509
WIECZOREK, E.
(Effect of radiotherapy on γ-glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix) 203
WILLIAMS, H. L., Conrad, M. E.
(Problems in the measurement of iron binding capacity in serum) 131
WITTER, R. F. see MOINUDDIN, M. 123
WITTING, L. A., HABERLAND, C., BRUNNGRABER, E. G.
(Ganglioside patterns in galactosemia) 387
WOODMAN, D. D. see RICHARDSON, R. W. 305
WYBENGA, D. R. see PILEGGI, V. J. . . . 141
YAMAMOTO, K., OHGIMI, Y., KOJIMA, H., MATSUDA, I.
(Urinary hydroxyproline, excretion and growth in children with congenital heart disease) 165
ZALESKI, W. A. see HILL, A. 455
ZENDER, R.
(Analyse de l'hydroxyproline urinaire. Methode et valeurs fréquentes) 263
ZLATKOV, N. B. see GENOV, D. 207
ZONDAG, H. A. see HAESEN, J. P. 463

CLINICA CHIMICA ACTA Vol. 37 (1972)

SUBJECT INDEX

Abnormal serum lipoproteins, in cholestasis: identification of the protein moiety (PICARD, VEISSIERE, VOYER) 483

Age differences, in the pattern of urinary glycosaminoglycan excretion in normal individuals (TANIGUCHI) 225

Age, sex, fasting and surgery, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (MAURY, HUTTUNEN) 433

Alanine aminopeptidase, in urine in renal diseases (PETERS, MAMPEL, SCHNEIDER, BURCHARDT, FUKALA, AHRENS, HASCHEN) 213

L-Alanyl-peptidhydrolase, in urine in renal diseases (PETERS, MAMPEL, SCHNEIDER, BURCHARDT, FUKALA, AHRENS, HASCHEN) 213

Albumin, and IgG, immunochemical estimation in CSF (DELPECH, LICHTBLAU) 15

Aldosterone determination, a chromatographic method in human urine (LEUNG, GRIFFITHS) 423

Alkaline phosphatase, and 5′-nucleotidase activities in serum in patients with hepatobiliary disease (BELFIELD) . . . 525

Alkaline phosphatase: reaction rate analysis at 340 nm (STEVENS, THOMAS) . . 541

Alkaline phosphatase, standardization of mechanised determinations in serum (HORN) 43

Alkaptonuria, phenylketonuria and tyrosinosis, the investigation of aromatic acids using gas-liquid chromatography (HILL, HOAG, ZALESKI) 455

δ-Aminolaevulinic acid, in urine, a new possibility for the demonstration on the basis of Mauzerall-Granick method (BERKÖ, DURKÖ) 443

Ammonia, and glucose relationships (GIPS, QUE) 295

Ammonia, blood, discontinuous and continuous determination by an automatic dialysis technique (IMLER, FRICK, STAHL, PETER, STAHL) 245

Amniotic fluid amino acids in maternal phenylketonuria (EMERY, FARQUHAR, TIMSON) 544

α-Amylase activity, determination in biological fluids (SCHARPÉ) 301

Analysis, of urinary hydroxyproline (ZENDER) 263

α_1-Antitrypsin, and orosomucoid separation by polyacrylamide gel electrophoresis (BARBOSA, DOE, SEAL) 105

Aromatic acids, investigation in phenylketonuria, alkaptonuria and tyrosinosis using gas-liquid chromatography (HILL, HOAG, ZALESKI) 455

Arylsulphatase, and its relation to homovanillic acid in neuroblastomas (MORGAN, MADDUX, SAMUELS, KREMENTZ) . . . 289

ATPase, in erythrocyte membrane, in patients with acute or chronic renal disease (FRANCAVILLA, ALBANO, MASTRANGELO, CORATELLI, PALASCIANO, AMERIO) 298

Assay, enzymatic isotopic of histamine, modification and its application to measurement of histamine in tissues, serum and urine (BEAVEN, JACOBSEN, HORÁKOVÁ) 91

Assay, of human serum and liver guanase activity, with 8-azaguanine as substrate (ELLIS, GOLDBERG) 47

Automated determination, of serum iron latent iron-binding capacity by continuous flow analysis without dialysis (HÜNTELER, VAN DER SLIK, PERSIJN) 391

Automated kinetic measurements, of enzymatic activities, a general method (VANDERMEERS, VANDERMEERS-PIRET, CHRISTOPHE) 471

Automated method, for the determination of serum γ-glutamyltranspeptidase (HAESEN, BERENDS, ZONDAG) 463

Automatic dialysis technique, for discontinuous and continuous determination of blood ammonia (IMLER, FRICK, STAHL, PETER, STAHL) 245

Automatic measurement, of bile salts in bile with 3α-hydroxysteroid deshydrogenase (DOMINGO, AMIC, HAUTON) . . . 399

Automatic measurements, of some mucosal carbohydrases (KIDDER, HILL, STEVENS) 491

8-Azaguanine, substrate for assay of

human serum and liver guanase activity (Ellis, Goldberg) 47
Barbiturates determination, in biological fluids (Chromy, Babjuk) 547
Bile, automatic measurement of bile salts with 3α-hydroxysteroid deshydrogenase (Domingo, Amic, Hauton) 399
Bile salts, automatic measurements in bile with 3α-hydroxysteroids deshydrogenase (Domingo, Amic, Hauton) . . . 99
Bilirubin, relationship with β-glucuronidase activity in rats with experimental obstructive jaundice (Rodriquez Garay, Del Rosario Spetale, Morisoli) 171
Biological fluids, determination of α-amylase activity (Scharpé) 301
Biological fluids, determination of barbiturates (Chromy, Babjuk) 547
Biological membranes, dextrans as test molecules in studies of the functional ultrastructure (Arturson, Granath) . 309
Biological solutions, a semiautomated method for the estimation of ionic calcium activity and concentration (Cham) 5
Blood ammonia, discontinuous and continuous determination by an automated dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 245
Blood glucose, colorimetric determination with β-D-glucose oxidase, mutarotase effect (Miwa, Okuda, Maeda, Okuda) . 538
Body fluids, phenytoin estimation, in the presence of sulphonyl urea compounds (Thürkow, Wesseling, Meijer) . . . 509
Bovine blood serum, as a substitute for human serum for quality control of the determination of cholesterol and triglyceride (Moinuddin, Witter, Quist) 123
Bromcresol green method, modification, serum albumin estimation (McPherson, Everard) 117
Calcium excretions, urinary, the distribution in normal persons and stone formers (Robertson, Morgan) 503
Cancer of the uterine cervix, effect of radiotherapy on γ-glutamyl transpeptidase and lactic dehydrogenase activity (Wieczorek) 203
Carbohydrases, mucosal, automatic measurement (Kidder, Hill, Stevens) . . 491
Carboxypeptidase B determination in duodenal contents (Lorentz, Flatter) 515
Carnitine determination in the picomole range (Cederblad, Lindstedt) 235
Catecholamine metabolites, and 5-hydroxy-indolacetic acid densitometric determination after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 157
Cellulose, two-dimensional thin-layer chromatography densitometric determination of catecholamine metabolites and 5-hydroxy-indoleacetic acid (Breebaart, Haan, Wadman) 157
Cerebrospinal fluid, immunochemical estimation of IgG and albumin (Delpech, Lichtblau) 15
Charcoal, dextran coated, for a competitive protein binding method for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 179
Chemical properties, and the investigation of the Rh antigenicity with the Schulz Dale test of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropp, Metz, Ritthaler, Ebert) 59
Children, with congenital heart disease, a routine method for determining plasma ionised calcium (Putman) 33
Chlorpromazine, and serum vitamin B_{12} levels (Voogd, v.d. Burg) 533
Cholesterol, and triglyceride, bovine blood serum as a substitute for human serum for quality control of the determination (Moinuddin, Witter, Quist) 123
Cholestasis, abnormal serum lipoproteins: identification of the protein moiety (Picard, Veissiere, Voyer) 483
Chromatographic method, for aldosterone determination in human urine (Leung, Griffiths) 423
Colorimetric determination of blood glucose with β-D-glucose oxidase, mutarotase effect (Miwa, Okuda, Maeda, Okuda) 538
Color reagent, and protein precipitant, phototungstic acid used for a one-tube serum acid method (Pileggi, Di Giorgio, Wybenga) 141
Competitive protein binding method, using dextran-coated charcoal, for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 179
Congenital heart disease, in children, urinary hydroxyproline and growth (Yamamoto, Ohgimi, Kojima, Matsuda) 165
Congenital heart disease, the study in children, a routine method for determining plasma ionised calcium, and its application (Putman) 33
Continuous, and discontinuous determination of blood ammonia by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 245
Continuous flow analysis, without dialysis, for an automated determination of serum latent iron-binding capacity (Hünteler, Van der Slik, Persijn) . 391
Copper, pathochemistry in vitiligo (Genov, Bozhkov, Zlatkov) 207
Corticosteroid-binding globulin, a new method for estimation with hydrophobic resin (Usui, Kawamoto) . . . 151
Corticosteroids, in plasma and urinary

cortisol, determination by a competitive protein binding method using dextran-coated chracoal (FIORELLI, PIOLANTI, FORTI, SERIO) 179
Cortisol, urinary, and plasma corticosteroids, determination by a competitive protein binding method using dextran-coated charcoal (FIORELLI, PIOLANTI, FORTI, SERIO) 179
Creatinine, determination in serum, without deproteinization (BARTELS, BÖHMER, HEIERLI) 193
Cultured normal amniotic fluid cells, and normal and cystinotic fibroblasts in vitro, cystine, cysteine and glutathione metabolism (SCHULMAN, SCHNEIDER, BRADLEY, SEEGMILLER) 53
Cysteine, cystine and glutathione metabolism in normal and cystinotic fibroblasts in vitro and in cultured normal amniotic fluid cells (SCHULMAN, SCHNEIDER, BRADLEY, SEEGMILLER) 53
Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts in vitro, and in cultured normal amniotic fluid cells (SCHULMAN, SCHNEIDER, BRADLEY, SEEGMILLER) 53
Densitometric determination, of catecholamine metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose (BREEBAART, HAAN, WADMAN) 157
Densitometry, and thin layer chromatography, for simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol (GASBARRO) 271
Deproteinization, serum creatinine determination without (BARTELS, BÖHMER, HEIERLI) 193
Deuterated phenylalanine, use for the elucidation of the phenylalanine-tyrosine metabolism (CURTIUS, VÖLLMIN, BAERLOCHER) 277
Dextran-coated charcoal, for competitive protein-binding method for determination of plasma corticosteroids and urinary cortisol (FIORELLI, PIOLANTI, FORTI, SERIO) 179
Dextrans, as test molecules in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography (ARTURSON, GRANATH) 309
Dialysis technique, automatic, for discontinuous and continuous determination of blood ammonia (IMLER, FRICK, STAHL, PETER, STAHL) 245
Discontinuous, and continuous determination of blood ammonia by an automatic dialysis technique (IMLER, FRICK, STAHL, PETER, STAHL) 245
Distribution, of urinary calcium excretions in normal persons and stone-formers (ROBERTSON, MORGAN,) 503
Dopa, and 3-*O*-methyldopa, a method for the determination in the plasma of Parkinsonian patients (CURZON, KANTAMANENI, Trigwell) 335
L-Dopa therapy, oral, of patients with Parkinson's disease, 3-*O*-methyldopa in the plasma (SHARPLESS, MUENTER, TYCE, OWEN) 359
Duodenal contents, determination of carboxypeptidase B (LORENTZ, FLATTER) . 515
Enzymatic activities, a general method for automated kinetic measurements (VANDERMEERS, VANDERMEERS-PIRET, CHRISTOPHE) 471
Enzymes, vitamin B_6, in normal and preeclamptic human placentae (GAYNOR, DEMPSEY) 411
Erythrocytes, human, isolation of a membrane protein with a low molecular weight; the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test (WEICKER, KROPP, METZ, RITTHALER, EBERT) . . 59
Erythrocyte membrane ATPase, in patients with acute or chronic renal disease (FRANCAVILLA, ALBANO, MASTRANGELO, CORATELLI, PALASCIANO, AMERIO) 298
Erythrocytes, stored human, pyridine nucleotide metabolism (OMACHI, SCOTT, FORD) 351
Estimation method, new, of corticosteroid-binding globulin with hydrophobic resin (USUI, KAWAMOTO) 151
Fasting, sex, age, and surgery, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (MAURY, HUTTUNEN) 433
Fibroblasts, normal and cystinotic, in vitro and cultured normal amniotic fluid cells, cystine, cysteine and glutathione metabolism (SCHULMAN, SCHNEIDER, BRADLEY, SEEGMILLER) 53
Fluorometric determination, of serotonin in blood plasma and platelets, a semi-mechanized method (HARDEMAN, DEN UYL, PRINS) 71
Fluorometric method, for 3-hydroxyanthranilic acid in human urine (WATANABE, HAYASHI) 417
Fluorometry, and thin-layer electrophoresis, for the determination of 3-hydroxyanthranilic acid in human urine (TOSELAND, MICHELIN, PRICE) 477
α_1-Foetoglobulin, human, during the last trimester of gestation (LARDINOIS, ANAGNOSTAKIS, ORTOZ, DELISLE) . . . 81
Free fatty acids, phospholipids, free cholesterol, simultaneous evaluation by thin layer chromatography and densitometry (GASBARRO) 271
Free cholesterol, phospholipids, free fatty acids, triglycerides and esterified cholesterol, simultaneous evaluation by thin layer chromatography and densito-

metry (GASBARRO) 271
Galactosemia, ganglioside patterns (WITTING, HABERLAND, BRUNNGRABER) . . 387
Ganglioside concentration, in human plasma (DACREMONT) 449
Ganglioside patterns, in galactosemia (WITTING, HABERLAND, BRUNNGRABER) 387
Gas chromatography, a solid sampler with single sample leading (EVANS) 289
Gas-liquid chromatography, for the investigation of aromatic acids in phenylketonuria, alkaptonuria and tyrosinosis HILL, HOAG, ZALESKI) 455
Gel chromatography, for molecular weight distribution analysis of dextrans as test molecules in studies of the functional ultrastructure of biological membranes (ARTURSON, GRANATH) 309
General method, for automated kinetic measurements of enzymatic activities (VANDERMEERS, VANDERMEERS-PIRET, CHRISTOPHE) 471
Gestation, the last trimester, human α_1-foetoglobulin (LARDINOIS, ANAGNOSTAKIS, ORTIZ, DELISLE) 81
Glucose, and ammonia relationships (GIPS, QUE) 295
β-D-Glucose oxidase, mutarotase effect on colorimetric determination of blood glucose (MIWA, OKUDA, MAEDA, OKUDA) 538
β-Glucuronidase, relationship with bilirubin, in rats with experimental obstructive jaundice (RODRIQUEZ GARAY, DEL ROSARIO SPETALE, MORISOLI) 171
γ-Glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix, effect of radiotherapy (WIECZOREK) 203
γ-Glutamyltranspeptidase, in serum, an automated method for the determination (HAESEN, BERENDS, ZONDAG) . . . 463
Glutathione, cystine, cysteine metabolism in normal and cystinotic fibroblasts in vitro and in cultured normal amniotic fluid cells (SCHULMAN, SCHNEIDER, BRADLEY, SEEGMILLER) 53
Glycosaminoglycan, age differences in the pattern of urinary excretion in normal individuals (TANIGUCHI) 225
Glycosaminoglycuronoglycan-degrading activity in serum, the nature (SALKIE) . 329
Glycosaminoglycuronoglycan-degrading activity in serum, variation with disease (SALKIE, MCDONALD) 323
Goldberg method, with technical simplifications, for analysis of urinary hydroxyproline (ZENDER) 263
Growth, and hydroxyproline excretion in children with congenital heart disease (YAMAMOTO, OHGIMI, KOJIMA, MATSUDA) 165
Guanase, activity in human liver, assay with 8-azaguanine as substrate (ELLIS, GOLDBERG) 47
Guanase, activity in human serum, assay with 8-azaguanine as substrate (ELLIS, GOLDBERG) 47
Hepatobiliary disease patients, serum alkaline phosphatase and 5'-nucleotidase activities (BELFIELD) 525
Herrera method, for estimation of the "normal" range for serum cholesterol (RICHARDSON, SETCHELL, WOODMAN) 305
Histamine, modification of the enzymatic isotopic assay and its application to measurement of histamine, in tissues, serum, urine (BEAVEN, JACOBSEN, HORÁKOVÁ) 91
Hoffman procedure, for estimation of the "normal rage" for serum cholesterol (RICHARDSON, SETTCHELL, WOODMAN) . 305
Homovanillic acid, arylsulphatase and its relation in neuroblastomas (MORGAN, MADDUX, SAMUELS, KREMENTZ) 289
Hormonal iodine determination (KREUTZER) 519
Human kidney, proximal tubules, isolation and characterization of a plasma membrane fraction (MONDORF, KINNE, SCHERBERICH, FALKENBERG) 25
Human serum, substituted by bovine blood serum for quality control of the determination of cholesterol and triglyceride (MOINUDDIN, WITTER, QUIST) 123
Hydrophobic resin, for a new method for estimation of corticosteroid-binding globulin (USUI, KAWAMOTO) 151
3-Hydroxyanthranilic acid, determination in human urine by thin-layer electrophoresis and fluorimetry (TOSELAND, MICHELIN, PRICE) 477
3-Hydroxyanthranilic acid, in human urine, a fluorometric method (WATANABE, HAYASHI) 417
β-Hydroxybutyrate, enzymatic determination by a spectrophotometric micromethod (CHANDRASEKARAN, GLOVER, LORD) 371
5-Hydroxy-indoleacetic acid, and catecholamine metabolites, densitometric determination after two-dimensional thin-layer chromatography on cellulose (BREEBAART, HAAN, WADMAN) 157
Hydroxyproline, excretion in urine, and growth in children with congenital heart disease (YAMAMOTO, OHGIMI, KOJIMA, MATSUDA) 165
Hydroxyproline, in urine, analysis (ZENDER) 263
3α-Hydroxysteroid deshydrogenase, for automatic measurement of bile salts in bile (DOMINGO, AMIC, HAUTON) 399
5-Hydroxytryptamine (serotonin), a semi-mechanized method for the fluorometric determination in blood plasma and platelets (HARDEMAN, DEN UYL, PRINS) 71
IgG, and albumin, immunochemical estimation in CSF (DELPECH, LICHTBLAU) 15
Immunochemical estimation, of IgG and albumin in cerebrospinal fluid (DEL-

PECH, LICHTBLAU) 15
Immunoglobulin levels, in serum in white patients with sickle cell disease (SEITANIDIS, MIHAS, ANGELOPOULOS) 531
Iodine determination in hormones (KREUTZER) 519
Ionic calcium, activity, and concentration, a semiautomated method for the estimation in biological solutions (CHAM) 5
Ionic calcium, concentration, and activity, a semiatomated method for the estimation in biological solutions (CHAM) . . . 5
Ionized calcium, and ultrafiltrable calcium, a simple and rapid method for the measurement in plasma (ROSE) 343
Ionised calcium, determination in plasma, a routine method and its application to the study of congenital heart disease in children (PUTMAN) 33
Iron binding capacity, in serum, problems in the measurement (WILLIAMS, CONRAD) 131
Isolation of drugs and drug metabolites from plasma, a rapid procedure (HORNING, BOUCHER, STAFFORD, HORNING) . 381
Jaundice, experimental obstructive, in rats, relationship between bilirubin and β-glucuronidase (RODRIGUES GARAY, DEL ROSARIO SPETALE, MORISOLI) . . . 171
Lactic dehydrogenase and γ-glutamyl transpeptidase activity in cancer of the uterine cervix, effect of radiotherapy (WIECZOREK) 203
Lecithin, serum, a simple scanning method for the quantitative estimation (STOTT) 535
Lipase determination in serum, by a rapid photometric micromethod (LIPPI, STEVANATO, GUIDI) 199
Maternal phenylketonuria, amniotic fluid amino acids (EMERY, FARQUHAR, TIMSON) 544
Mauzerall-Granick method, a new possibility for the demonstration of δ-aminolaevulinic acid in urine on its basis (BERKÖ, DURKÖ) 443
Membrane protein, isolation, with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz-Dale test (WEICKER, KROPP, METZ, RITTHALER, EBERT) 59
Metabolism, of pyridine nucleotide in stored human erythrocytes (OMACHI, SCOTT, FORD) 351
Method, for determination of carnitine in the picomole range (CEDERBLAD, LINDSTEDT) 235
Method, for the determination of dopa and 3-*O*-methyldopa in the plasma of Parkinsonian patients (CURZON, KANTAMANENI, TRIGWELL) 335
Method, for estimation of corticosteroid-binding globulin with hydrophobic resin (USUI, KAWAMOTO) 151
Method, simple and rapid, for the measurement of plasma ultrafiltrable and ionized calcium (ROSE) 343
3-Methoxy-4-hydroxyphenylalanine, (3-*O*-methyldopa) in plasma during oral L-dopa therapy of patients with Parkinson's disease (SHARPLESS, MUENTER, TYCE, OWEN) 359
β-Methylcrotonylglycinuria, in a child, the identification of tiglylglycine in the urine (GOMPERTZ, DRAFFAN) 405
3-*O*-methyldopa, and dopa, a method for the determination in the plasma of Parkinsonian patients (CURZON, KANTAMANENI, TRIGWELL) 335
3-*O*-methyldopa, in plasma during oral L-dopa therapy of patients with Parkinson's disease (SHARPLESS, MUENTER, TYCE, OWEN) 359
Micromethod, rapid photometric, for serum lipase determination (LIPPI, STEVANATO, GUIDI) 199
Micromethod, spectrophotometric, for the enzymatic determination of β-hydroxybutyrate (CHANDRASEKARAN, GLOVER, LORD) 371
Molecular weight distribution, analysis by gel chromatography of dextrans as test molecules in studies of the functional ultrastructure of biological membranes (ARTURSON, GRANATH) 309
Mucosal carbohydrases, automatic measurement (KIDDER, HILL, STEVENS) . . 491
Mutarotase effect, on colorimetric determination of blood glucose with β-D-glucose oxidase (MIWA, OKUDA, MAEDA, OKUDA) 538
Neumann method, for estimation of the "normal range" for serum cholesterol (RICHARDSON, SETCHELL, WOODMAN) 305
Neuraminyl-*N*-acetyllactosamine, and neuraminyllactose in rat urine, effects of age, sex, fasting and surgery on the excretion (MAURY, HUTTUNEN) 433
Neuraminyllactose, and neuraminyl-*N*-acetyllactosamine in rat urine, effects of age, sex, fasting and surgery on the excretion (MAURY, HUTTUNEN) 433
Neuroblastomas, arylsulphatase and its relation to homovanillic acid (MORGAN, MADDUX, SAMUELS, KREMENTZ) . . . 289
Normal range, estimation by different methods for serum cholesterol (RICHARDSON, SETCHELL, WOODMAN) . . . 305
5'-Nucleotidase and alkaline phosphatase activities in serum in patients with hepatobiliary disease (BELFIELD) . . . 525
One-tube serum uric acid method, using phototungstic acid as protein precipitant and color reagent (PILEGGI, DI GIORGIO, WYBENGA) 141
Orosomucoid, and α_1-antitrypsin separation by polyacrylamide gel electrophoresis (BARBOSA, DOE, SEAL) 105
Ouchterlony plate, improved (DARCY) . . 287

Parkinsonian patients, plasma, a method for the determination of dopa and 3-*O*-methyldopa (CURZON, KANTAMANENI, TRIGWELL) 335
Parkinson's disease patients, 3-*O*-methyldopa in the plasma during oral L-dopa therapy (SHARPLESS, MUENTER, TYCE, OWEN) 359
Pathochemistry of copper, in vitiligo (GENOC, BOZHKOV, ZLATKOV) 207
Phenylalanine, deuterated, use for the elucidation of the phenylalanine-tyrosine metabolism (CURTIUS, VÖLLMIN, BAERLOCHER) 277
Phenylalanine-tyrosine metabolism, the use of deuterated phenylalanine for the elucidation (CURTIUS, VÖLLMIN, BAERLOCHER) 277
Phenylketonuria, alkaptonuria and tyrosinosis, the investigation of aromatic acid using gas-liquid chromatography HILL, HOAG, ZALESKI) 455
Phenylketonuria, maternal, amniotic fluid amino acids (EMERY, FARQUHAR, TIMSON) 544
Phenytoin, in body fluids estimation, in the presence of sulphonyl urea compounds (THÜRKOW, WESSELING, MEIJER) 509
Phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol, simultaneous evaluation by thin layer chromatography and densitometry (GASBARRO) 271
Photometric micromethod, rapid for serum lipase determination (LIPPI, STEVANATO, GUIDI) 199
Phototungstic acid, as protein precipitant and color reagent for a one-tube serum uric acid method (PILEGGI, DI GIORGIO, WYBENGA) 141
Picomole range, carnitine determination CEDERBLAD, LINDSTEDT) 235
Placentae, human, normal and preeclamptic, vitamin B_6 enzymes (GAYNOR, DEMPSEY) 411
Plasma corticosteroid, determination, and urinary cortisol by a competitive protein-binding method using dextran-charcoal (FIORELLI, PIOLANTI, FORTI, SERIO) 179
Plasma, human, ganglioside concentration (DACREMONT) 449
Plasma, ionised calcium determination, a routine method and its application to the study of congenital heart disease in children (PUTMAN) 33
Plasma membrane fraction, from the proximal tubules of human kidney, isolation and characterization (MONDORF, KINNE, SCHERBERICH, FALKENBERG) 25
Plasma, 3-*O*-methyldopa during oral L-dopa therapy of patients with Parkinson's disease (SHARPLESS, MUENTER, TYCE, OWEN) 359
Plasma, of Parkinsonian patients, a method for the determination of dopa and 3-*O*-methyldopa (CURZON, KANTAMANENI, TRIGWELL) 335
Plasma, a rapid procedure for the isolation of drugs and drug metabolites (HORNING, BOUCHER, STAFFORD, HORNING) 381
Plasma, a semi-mechanized method for the fluorometric determination of serotonin (HARDEMAN, DEN UYL, PRINS) 71
Plasma, testosterone, radioimmunoassay (DUFAU, CATT, TSURUHARA, RYAN) . . 109
Plasma, ultrafiltrable and ionized calcium, a simple and rapid method for the measurement (ROSE) 343
Platelets, a semi-mechanized method for the fluorometric determination of serotonin (HARDEMAN, DEN UYL, PRINS) 71
Polyacrylamide gel electrophoresis, for separation of α_1-antitrypsin and orosomucoid (BARBOSA, DOE, SEAL) 105
Procedure, rapid, for the isolation of drugs and drug metabolites from plasma (HORNING, BOUCHER, STAFFORD, HORNING) 381
Protein metabolism, following surgical stress. Pre- and postoperative (^{75}Se) methionine incorporation in serum and albumin (TOADER, ACALOVSCHI, SZANTAY) 189
Protein moiety identification, abnormal serum lipoproteins in cholestasis (PICARD, VEISSIERE, VOYER) 483
Protein precipitant, and color reagent, phototungstic acid used for a one-tube serum uric acid method (PILEGGI, DI GIORGIO, WYBENGA) 141
Proximal tubules, of human kidney, isolation and characterization of a plasma membrane fraction (MONDORF, KINNE, SCHERBERICH, FALKENBERG) 25
Pyridine nucleotide metabolism, in stored human erythrocytes (OMACHI, SCOTT, FORD) 351
Quality control, of the determination of cholesterol and triglyceride with bovine blood serum as a substitute for human serum (MOINUDDIN, WITTER, QUIST) . 123
Radioimmunoassay, of plasma testosterone (DUFAU, CATT, TSURUHARA, RYAN) 109
Radiotherapy, effect on γ-glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine crevix (WIECZOREK) 203
Rat, with experimental obstructive jaundice, relationship between β-glucuronidase and bilirubin (RODRIGUES GARAY, DEL ROSARIO SPETALE, MORISOLI) . . . 171
Reaction rate analysis at 340 nm, alkaline phosphatase (STEVENS, THOMAS) . . . 541
Renal disease, acute or chronic, erythrocyte membrane ATPase (FRANCAVILLA, ALBANO, MASTRANGELO, CORATELLI, PALASCIANO, AMERIO) 298

Renal disease, alanine aminopeptidase in urine (PETERS, MAMPEL, SCHNEIDER, BURCHARDT, FUKALA, AHRENS, HASCHEN) 213
Rh antigenicity and chemical properties investigated with the Schulz Dale test of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (WEICKER, KROPP, METZ, RITTHALER, EBERT) 59
Routine method, for determining plasma ionised calcium and its application to the study of congenital heart disease in children (PUTMAN) 33
Schultz Dale test, for the chemical properties and the investigation of Rh antigenicity of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (WEICKER, KROPP, METZ, RITTHALER, EBERT) . . 59
(^{75}Se)methionine, pre- and postoperative incorporation in serum and albumin. (TOADER, ACALOVSCHI, SZANTAY) . . . 189
Semiautomatic method, for the estimation of ionic calcium activity and concentration in biological solutions (CHAM) . . . 5
Semi-mechanized method, for the fluorometric determination of 5-hydroxytryptamine (serotonin) in blood plasma and platelets (HARDEMAN, DEN UYL, PRINS) 71
Serotonin (5-hydroxytryptamine) a semi-mechanized method for the fluorometric determination in blood plasma and platelets (HARDEMAN, DEN UYL, PRINS) 71
Serum albumin estimation, modification of the bromcresol green method (MCPHERSON, EVERARD) 117
Serum albumin, pre- and postoperative (^{75}Se)methionine incorporation (TOADER, ACALOVSCHI, SZANTAY) 189
Serum, alkaline phosphatase mechanised determinations, standardization (HORN) 43
Serum alkaline phosphatase, and 5'-nucleotidase activities in patients with hepatobiliary disease (BELFIELD) . . . 525
Serum cholesterol, estimation of the "normal range" by different methods (RICHARDSON, SETCHELL, WOODMAN) 305
Serum creatinine determination, without deproteinization (BARTELS, BÖHMER, HEIERLI) 193
Serum, γ-glutamyltranspeptidase, an automated method for the determination (HAESEN, BERENDS, ZONDAG) . . . 463
Serum, glycosaminoglycuronoglycan-degrading activity, the nature (SALKIE) . . 329
Serum glycosaminoglycuronoglycan-degrading activity, the variation with disease (SALKIE, MCDONALD) 323
Serum immunoglobulin levels in white patients with sickle cell disease (SEITANIDIS, MIHAS, ANGELOPOULOS) 531
Serum latent iron-binding capacity, an automated determination by continuous flow analysis without dialysis (HÜNTELER, VAN DER SLIK, PERSIJN) 391
Serum lecithin, simple scanning method for quantitative estimation (STOTT) . . 535
Serum lipase determination, by a rapid photometric micromethod (LIPPI, STEVANATO, GUIDI) 199
Serum lipoproteins, abnormal, in cholestasis, identification of the protein moiety (PICARD, VEISSIERE, VOYER) 483
Serum, problems in the measurement of iron binding capacity (WILLIAMS, CONRAD) 131
Serum, tissue and urine, modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine (BEAVEN, JACOBSEN, HORÁKOVÁ) 91
Serum uric acid method, one-tube, using phototungstic acid as protein precipitant and color reagent (PILEGGI, DI GIORGIO, WYBENGA) 141
Serum, vitamin B_{12} levels and chlorpromazine (VOOGD, V.D. BURG) 533
Sex, age, fasting and surgery, effects on the excretion of neuraminyllactose and neuraminyl-*M*-acetyllactosamine in rat urine (MAURY, HUTTUNEN) 433
Sickle cell disease, in white patients, serum immunoglobulin levels (SEITANIDIS, MIHAS, ANGELOPOULOS) 531
Simple scanning method, for quantitative estimation of serum lecithin (STOTT) . . 535
Simultaneous evaluation, of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol by thin layer chromatography and densitometry (GASBARRO) 271
Solid sampler, with single sample leading for gas chromatography (EVANS) . . . 289
Spectrophotometric micromethod, for the determination of beta-hydroxybutyrate (CHANDRASEKARAN, GLOVER, LORD) . . 371
Standardization, of mechanised serum alkaline phosphatase determinations (HORN) 43
Stone-formers, and normal persons, the distribution of urinary calcium excretions (ROBERTSON, MORGAN) 503
Sulphonyl urea compounds presence, the estimation of phenytoin in body fluids (THÜRKOW, WESSELING, MEIJER) . . . 509
Surgery, age, sex, fasting, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (MAURY, HUTTUNEN) 433
Surgical stress, protein metabolism. Pre- and postoperative (^{75}Se)methionine incorporation in serum and albumin (TOADER, ACALOVSCHI, SZANTAY) . . . 189
Test molecules, dextrans, in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography (ARTURSON, GRANATH) 309

Testosterone, plasma, radioimmunoassay (Dufau, Catt, Tsuruhara, Ryan) . . 109
Thin layer chromatography, and densitometry, for simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol (Gasbarro) 271
Thin-layer chromatography, two-dimensional, on cellulose, densitometric determination of catecholamine metabolites and 5-hydroxy-indoleacetic acid (Breebaart, Haan, Wadman) 157
Thin-layer electrophoresis, and fluorometry, for the determination of 3-hydroxyanthranilic acid in human urine (Toseland, Michelin, Price) 477
Thyroid hormones, iodine determination (Kreutzer) 519
Tiglylglycine identification, in the urine of a child with β-methylcrotonylglycinuria (Gompertz, Draffan) 405
Tissue, serum and urine, modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine (Beaven, Jacobsen, Horáková) 91
Triglyceride and cholesterol, bovine blood serum as a substitute for human serum for quality control of the determination (Moinuddin, Witter, Quist) 123
Triglycerides, phospholipids, free fatty acids, free cholesterol, and esterified cholesterol, simultaneous evaluation by thin layer chromatography and densitometry (Gasbarro) 271
Tyrosine-phenylalanine metabolism, the use of deuterated phenylalanine for the elucidation (Curtius, Völlmin, Baerlocher) 277
Tyrosinosis, phenylketonuria and alkaptonuria, the investigation of aromatic acids using gas-liquid chromatography (Hill, Hoag, Zaleski) 455
Ultrafiltrable calcium, and ionized calcium a simple and rapid method for the measurement in plasma (Rose) 343
Urinary calcium excretions, distribution, in normal persons and stone formers (Robertson, Morgan) 503
Urinary hydroxyproline analysis (Zender) 263
Urine, alanine aminopeptidase in renal disease (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 213
Urine, δ-aminolaevulinic acid, a new possibility for the demonstration on the basis of Mauzerall-Granick method (Berkö, Durkö) 443
Urine, of a child with β-methylcrotonylglycinuria, identification of tiglylglycine (Gompertz, Draffan) 405
Urine, cortisol, and plasma corticosteroids, determination by a competitive protein binding method uring dextran coated charcoal (Fiorelli, Piolanti, Forti, Serio) 179
Urine, glycosaminoglycan, age difference in excretion pattern in normal individuals (Taniguchi) 225
Urine, human, a chromatographic method for aldosterone determination (Leung, Griffiths) 423
Urine, human, the determination of 3-hydroxyanthranilic acid, by thin layer electrophoresis and fluorimetry (Toseland, Michelin, Price) 477
Urine, human, a fluorometric method for 3-hydroxy-anthranilic acid (Watanabe, Hayashi) 417
Urine, hydroxyproline excretion and growth in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 165
Urine, rat, effects of age, sex, fasting and surgery on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactose (Maury, Huttunen) 433
Vitamin B_6 enzymes, in normal and preeclamptic human placenta (Gaynor, Dempsey) 411
Vitamin B_{12} levels in serum, and chlorpromazine (Voogd, v.d. Burg) 533
Vitiligo, copper pathochemistry (Genov, Bozhkov, Zlatkov) 207

Vol. 37 CLINICA CHIMICA ACTA March 1972

CONTENTS

Regular papers

A semiautomated method for the estimation of ionic calcium activity and concentration in biological solutions
B. E. Cham (Brisbane, Australia) (August 24, 1971) 5

Étude quantitative des immunoglobulines G et de l'albumine du liquide cephalo rachidien
B. Delpech and E. Lichtblau (Rouen, France) (June 18, 1971) 15

Isolierung, enzymatische und immunologische Charakterisierung einer Plasmamembranfraktion vom proximalen Tubulus der menschliche Niere
A. W. Mondorf, R. Kinne, J. E. Scherberich and F. Falkenberg (Frankfurt/M., Germany) (June 24, 1971) 25

A routine method for determining plasma ionised calcium and its application to the study of congenital heart disease in children
J. M. Putman (London, U.K.) (August 3, 1971) 33

Standardization of mechanised serum alkaline phosphatase determinations
D. B. Horn (Edinburgh, U.K.) (September 4, 1971) 43

Assay of human serum and liver guanase activity with 8-azaguanine as substrate
G. Ellis and D. M. Goldberg (Sheffield, U.K.) (August 25, 1971) 47

Cystine, cysteine, and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells
J. D. Schulman, J. A. Schneider, K. H. Bradley and J. E. Seegmiller (Bethesda, Md., U.S.A.) (August 19, 1971) 53

Isolation of a membrane protein with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test
H. Weicker, J. Kropp, J. Metz, F. Ritthaler and W. Ebert (Heidelberg, Germany) (July 26, 1971) 59

A semi-mechanized method for the fluorometric determination of 5-hydroxytryptamine (serotonin) in blood plasma and platelets
M. R. Hardeman, A. den Uyl and H. K. Prins (Amsterdam, The Netherlands) (July 2, 1971) 71

Human α_1-foetoglobulin during the last trimester of gestation
R. Lardinois, A. Anagnostakis, M. A. Ortiz and M. Delisle (Paris, France) (September 6, 1971) 81

Modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine in tissues, serum and urine
M. A. Beaven, S. Jacobsen and Z. Horáková (Bethesda, Md., U.S.A.) (September 3, 1971) 91

Separation of α_1-antitrypsin and orosomucoid by polyacrylamide gel electrophoresis
J. Barbosa, R. P. Doe and U. S. Seal (Minneapolis, Minn., U.S.A.) (September 24, 1971) 105

Radioimmunoassay of plasma testosterone
M. L. Dufau, K. J. Catt, T. Tsuruhara and D. Ryan (Bethesda, Md. U.S.A.) (September 7, 1971) 109

Serum albumin estimation: modification of the bromcresol green method
I. G. McPherson and D. W. Everhard (Hastings, New Zealand) (September 6, 1971) 117

Bovine blood serum as a substitute for human serum for quality control of the determination of cholesterol and triglyceride
M. Moinuddin, R. F. Witter and K. D. Quist (Atlanta, U.S.A.) (September 15, 1971) 123

Problems in the measurement of iron binding capacity in serum
H. L. Williams and M. E. Conrad (Washington, D.C., U.S.A.) (August 19, 1971) 131

A one-tube serum uric acid method using phosphotungstic acid as protein precipitant and color reagent
V. J. Pileggi, J. Di Giorgio and D. R. Wybenga (Van Nuys, Calif., U.S.A.) (September 30, 1971) 141

A new method for estimation of corticosteroid-binding globulin with hydrophobic resin
T. Usui and H. Kawamoto (Tottori, Japan) (August 3, 1971) 151

Densitometric determination of catecholamine metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose
K. Breebaart, A. M. F. H. Haan and S. K. Wadman (Utrecht, The Netherlands) (September 9, 1971) 157

Urinary hydroxyproline excretion and growth in children with congenital heart disease
K. Yamamoto, Y. Ohgimi, H. Kojima and I. Matsuda (Sapporo, Japan) (August 9, 1971) 165

Relationship between bilirubin and β-glucuronidase activity in rats with experimental obstructive jaundice
E. A. Rodriguez Garay, M. Del Rosario Spetale and L. S. Morisoli (Rosario, Argentina) (February 22, 1971) 171

Determination of plasma corticosteroids and urinary cortisol by a competitive protein-binding method using dextran-coated charcoal
G. Fiorelli, P. Piolanti, G. Forti and M. Serio (Florence, Italy) (August 3, 1971) 179

Protein metabolism following surgical stress. Pre- and postoperative [^{75}Se] methionine incorporation in serum and albumin
C. Toader, I. Acalovschi and I. Szantay (Cluj, Rumania) (September 15, 1971) 189

Serum Kreatininbestimmung ohne Enteiweissen
H. Bartels, M. Böhmer and C. Heierli (Basel, Switzerland) (August 18, 1971) . . 193

A rapid photometric micromethod for serum lipase determination
U. Lippi, G. Stevanato and G. Guidi (Camposampiero, Italy) (September 1, 1971) 199

Effect of radiotherapy on γ-glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix
E. Wieczorek (Wroclaw, Poland) (June 14, 1971) 203

Copper pathochemistry in vitiligo
D. Genov, B. Bozhkov and N. B. Zlatkov (Sofia, Bulgaria) (April 23, 1971) . . . 207

Alaninaminopeptidase (L-alanyl-peptidhydrolase) im Harn bei Nierenerkrankungen
J. E. Peters, E. Mampel, I. Schneider, U. Burchardt, E. Fukala, I. Ahrens and R. J. Haschen (Halle/Saale, Germany) (June 29, 1971) 213

Age differences in the pattern of urinary glycosaminoglycan excretion in normal individuals
N. Taniguchi (Kanazawa, Japan) (September 5, 1971) 225

A method for the determination of carnitine in the picomole range
G. Cederblad and S. Lindstedt (Gothenburg, Sweden) (September 15, 1971) . . 235

Dosage de l'ammoniémie en discontinu et en continu par une technique de dialyse automatique
M. Imler, A. Frick, A. Stahl, B. Peter and J. Stahl (Strasbourg, France) (September 9, 1971) 245

Analyse de l'hydroxyproline urinaire. Méthode et valeurs fréquentes
R. Zender (La Chaux-de-Fonds, Switzerland) (September 9, 1971) 263

Simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol by thin layer chromatography and densitometry
L. Gasbarro (Florence, Italy) (August 3, 1971) 271

The use of deuterated phenylalanine for the elucidation of the phenylalanine-tyrosine metabolism
H. Ch. Curtius, J. A. Völlmin and K. Baerlocher (Zurich, Switzerland) (August 3, 1971) 277

Brief notes

An improved Ouchterlony plate
D. A. Darcy (Belmont, Surrey, U.K.) (September 9, 1971) 287

A solid sampler with single sample leading for gas chromatography
J. R. Evans (Leeds, Yorkshire, U.K.) (October 2, 1971) 289

Arylsulphatase and its relation to homovanillic acid in neuroblastomas
L. R. Morgan, B. Maddux, M. S. Samuels and E. T. Krementz (New Orleans, La., U.S.A.) 292

Glucose and ammonia relationships
C. H. Gips and G. S. Que (Groningen, The Netherlands) (November 3, 1971) . . . 295